

# Block Cipher Chaining Modes of Operation

Lars R. Knudsen

[ABTcrypto.com](http://ABTcrypto.com)

presented by

Bart Preneel

K.U.Leuven, Belgium and [ABTcrypto.com](http://ABTcrypto.com)


## Accumulated Block Chaining (ABC)

$$\begin{aligned}\text{Encryption: } H_i &= P_i \oplus h(H_{i-1}) \\ C_i &= E_K(H_i \oplus C_{i-1}) \oplus H_{i-1}\end{aligned}$$

$$\begin{aligned}\text{Decryption: } H_i &= D_K(C_i \oplus H_{i-1}) \oplus C_{i-1} \\ P_i &= H_i \oplus h(H_{i-1})\end{aligned}$$

- $h : \{0, 1\}^n \rightarrow \{0, 1\}^n$ ,  
 $h(X) = X$  **or**  $h(X) = X^{\ll 1}$  seem appropriate
- $H_0, C_0$  initial values
- ABC with  $h(X) = 0$  suggested in 1977 by C. Campbell

# Infinite Garble Extension (ABC with $h(X) = 0$ )



# Accumulated Block Chaining (ABC)

- infinite error propagation
- accumulation of plaintext blocks to avoid low entropy attacks
- birthday attacks not serious
- encryption and decryption operations similar

## CBC mode

- $C_i = E_K(P_i \oplus C_{i-1}), \quad P_i = D_K(C_i) \oplus C_{i-1}$
- Error recovery after two blocks
- Birthday attack:

$$\begin{aligned} C_i &= C_j \Rightarrow \\ P_i \oplus C_{i-1} &= P_j \oplus C_{j-1} \Rightarrow \\ P_i \oplus P_j &= C_{i-1} \oplus C_{j-1}. \end{aligned}$$

- Bad diffusion in decryption operation (by nature)

Man-in-the-middle can fiddle

$$(C_{j-1}, C_j) = (C_{i-1}, C_i) \Rightarrow P_j = P_i$$

## ABC mode

- $H_i = P_i \oplus h(H_{i-1})$   
 $C_i = E_K(H_i \oplus C_{i-1}) \oplus H_{i-1}, \quad H_i = D_K(C_i \oplus H_{i-1}) \oplus C_{i-1}$
- Birthday attack

$$\begin{aligned} H_{i-1} \oplus C_i &= H_{j-1} \oplus C_j \Rightarrow \\ E_K(H_i \oplus C_{i-1}) &= E_K(H_j \oplus C_{j-1}) \Rightarrow \\ H_i \oplus H_j &= C_{i-1} \oplus C_{j-1}. \end{aligned}$$

If plaintext blocks uniformly distributed condition of match not verifiable

With  $h(X) = X$  or  $h(X) = X^{\ll 1}$  for all practical plaintext spaces flat distribution of  $H_i$  ( $i$  not tiny)

- Man-in-the-middle cannot fiddle

## Error propagation and error recovery

- Many applications for error propagation
- Advantages of modes with error propagation
  - greater resemblance to big  $sn$ -bit block cipher  
( $s$  blocks on  $n$  bits)
  - resistance against birthday attacks (ciphertext only)
  - better diffusion properties for both encryption and decryption
  - equal operations for encryption and decryption

## Message confidentiality and message integrity

- ABC (by itself) does not give message integrity
- Separate issues in our opinion
- Choose good mode for confidentiality, then add message integrity if needed

## Concluding remarks

- FIPS 81 does not include modes with error propagation
- New standard ought to
- ABC proposed as mode of operation for AES