FOUNDATIONS FOR THE HARMONIZATION OF INFORMATION TECHNOLOGY SECURITY STANDARDS

Item: Deliverable #1

Source: Cooperation on Security of Information Systems
Joint Task 01

Status: Revised Draft

Date: February 1993

ABSTRACT

This paper is the first work product of Joint Task 1 (JT01) defined in the Joint Workplan for cooperation on Security of Information Systems [1]. The objectives of JT01 are to:

(a) Establish a common set of security functionality classes, representative of international and regional market-driven needs.

(b) Develop a common approach to the creation of profiles from these security functionality classes consistent with current regional and international activities.

(c) Create guidelines to support the prototyping of such profiles and their interpretability.

This paper provides a base for common understanding of critical terms and concepts. It discusses the efforts and terms used in the four major Information Technology Security efforts:

(a) The U. S . Department of Defense Trusted Computer System Evaluation Criteria (TCSEC) [2], also known as the Orange Book.

(b) The Information Technology Security Evaluation Criteria (ITSEC) [3].

(c) The Canadian Trusted Computer Product Evaluation Criteria (CTCPEC) [4].

(d) Federal Criteria for Information Technology Security [5].

In addition, this paper looks at the terms and concepts used in the development of International Standards Organization (ISO) standards for Open Systems Interconnection (OSI).

This paper is presented as a base for the JT01 work and is not intended to analyze the good or weakness of various approaches to defining functionality classes or profiles. It attempts to point out where there are differences or the terminology is not precise to allow for a common international acceptance.

1. INTRODUCTION

Considerable effort has been expended by many countries to develop Information Technology (IT) Security Standards. Over the past decade the concepts and criteria for the evaluation of security products has matured in the European Community (EC), United States (US), and Canada. The wide spread availability of products in the international market place has dictated the need for a standard that can have wide acceptance and applicability for vendors in international markets. Vendors cannot afford to build and have evaluated products in multiple countries against multiple standards. The goal of this effort is to develop an approach that allows for the harmonization of standards and the stimulation of the market place to allow vendors to produce products that can be sold with sound security properties in an international market.

The first set of criteria that received widespread use and acceptance was the U. S. Department of Defense Trusted Computer System Evaluation Criteria (TCSEC). This criteria, also known as the Orange Book, defines six classes divided into four hierarchical divisions. Each class defines the features necessary to satisfy the broad control objectives of Security Policy, Accountability, Assurance, and a fourth, Documentation, which describes the type of written evidence in the form of user guides, manuals, and the test and design documentation required for each class. The TCSEC is not limited to the definition of security requirements for monolithic systems, however, several interpretations were developed to address database management systems, networks, and components. The TCSEC was developed specifically for the U. S. Defense industry and has been applied to a much wider market that now includes most of the U. S. government and NATO.

The first attempt at developing a harmonized criteria was the development of the Information Technology Security Evaluation Criteria (ITSEC) developed by France, Germany, the Netherlands and the United Kingdom. The ITSEC introduced the concept of separating the functional requirements and the assurance requirements. This was achieved by the introduction of assurance profiles and the definition of six evaluation levels defined as E1 through E6. The structure of the ITSEC allows for the selection of arbitrary security functions to be matched against one of the six assurance profiles. The ITSEC defines functionality classes as a means to specify a set of complementary security enforcing functions, and provides ten example specifications, five of which relate to TCSEC defined classes.

The Canadian Trusted Computer Product Evaluation Criteria (CTCPEC), released within a year of the ITSEC, attempts to avoid the need for criteria interpretations such as those that have evolved in the US, by widening the targeted products to include monolithic systems, multi-processor systems, databases, subsystems, distributed systems, network systems, and others. This was done by splitting the criteria into two distinct groups: functionality and trust. There are four criteria defined as Confidentiality Criteria, Integrity Criteria, Availability Criteria, and Accountability Criteria. For trust the criteria is defined as Assurance Criteria

The CTCPEC introduces the concept of a profile as a logical grouping based upon constraints. These profiles are used to define systems which are currently under development, have completed evaluation, or are considered useful configurations and have been evaluated in either the US or the EC. The Canadian approach to profiles allows for the infinite development of profiles to meet customer requirements that do not break any of the Criteria's constraints. The approval of profiles in Canada is by the Communications Security Establishment (CSE).

The latest IT Security Criteria development effort is the Federal Criteria for Information Technology Security conducted jointly by the National Institute of Standards and Technology (NIST) and the National Security Agency (NSA). This project, which has been called the Federal Criteria, is producing a Federal

Information Processing Standard (FIPS) for the specification, development, and evaluation of information technology security products. Key to this effort is the advancement of the state of the art of IT security and the harmonization of international efforts. Key features of this standard effort are:

(a) Protection profiles that unite functionality, assurance, and dependency considerations to describe generic protection needs.

(b) Security target descriptions that document how a specific product meets the requirements of a generic protection profile.

(c) Evaluation alternatives that accommodate market need, timeliness constraints, and varying degrees of assurance.

The Federal Criteria provides a process for user or interest groups to state their distinct protection needs, or vendors can describe the protection needs of an identified market niche. A methodology is being developed for the analysis and approval of Protection Profiles to ensure consistency, uniqueness and evaluatability of the profiles. This approach does not preclude the development of Protection Profiles from predefined functionality and assurance "building blocks". The registry of protection profiles grows and changes in response to new protection needs, technology advances, and market demands; and will drive vendors to meet protection profiles to satisfy customer requirements. This approach also protects the investment of vendors and users in existing products and methods while supporting the rapid changes in technology and innovation. The Protection Profile is intended to represent customer needs throughout the international market for IT security products.

The final standards effort that must be included in the evaluation by JT01 is the work by the International Standards Organization (ISO) for Open Systems Interconnection (OSI). In recognition of the need for functional standards and profiles to be produced and harmonized, the ISO has defined a new type of international standard known as an International Standardized Profile (ISP). There are a number of groups working at the regional level that are involved with the production of profiles. These profiles are really sets of base standards with compatible options and parameters that insure interoperability. An example profile is the Application Portability Profile (APP), The U.S. Government's Open System Environment Profile OSE/1 Version 1.0.

In all of the above efforts there are a variety of definitions and terms used to describe similar concepts. The terms profile, functionality class, security sub-profile, protection profile and security target are further developed in following sections. The goal of harmonization can be achieved through a sound common understanding of the goals, benefits and relationships of the various efforts. The remaining sections attempt to identify the concepts and terms in a structure that can lead to harmonization of criteria and stimulation of the international market for IT security products.

2. TERMS AND DEFINITIONS

The goal of harmonization of standards efforts requires that the technical requirements and foundations be formed such that a common understanding and acceptance can be achieved. There are several obstacles to this progress that must be overcome. First is the desire of everyone to push their national or regional view, and second, the language differences between the parts of the world. This description of terms and definitions attempts to clarify the second issue without being judgmental on the correctness or validity of any national or regional view. To achieve harmonization this paper attempts to build on each of the national efforts and attempt to show a meaningful progression or advancement that each has provided to the field of IT Security.

2.1 Components of standards

Looking at the existing set of criteria and standards shows some consistent components to security standards that should form the foundation for harmonization efforts. These building blocks begin with the basic components of a system that provide for security. Most of the existing efforts divide the basic elements into functionality, assurance, and product definition. Each of the efforts to define criteria for IT Security and the international standards activities bring slightly different perspectives to this problem. The following sections layout the definitions and approaches to the structuring of functionality requirements, assurance requirements, and product definition approaches. The information is taken form the latest draft or version of the ITSEC, CTCPEC, Federal Criteria and the Taxonomy of Security Standards [6].

2.2 Functionality Requirements

2.2.1 Basic Building Blocks

Looking first at the functional components for the developing criteria and standards efforts shows the following. Each of the criteria start with basic building blocks. These building blocks are defined in Table 1 for the various efforts.

Table 1: Basic Building Blocks

Source	**Term**	**Definition**
ITSEC	Security Enforcing Function	Technical security measure.
CTCPEC	Division	A functional aspect or mechanism defined to satisfy a specific task (i.e., on a per task basis).
Federal Criteria	Functional Component	A set of rated requirements for protection functions to be implemented in an IT product.
ISO	Base Standard	Defines generalized procedures to provide a conceptual service interface.

Note that these terms are not at the same level of discourse. The ITSEC begins with security enforcing or security relevant functions. Although not precluded from a functionality specification, the CTCPEC and Federal Criteria begin with

established categories of functions to meet defined objectives. This is intended to provide a degree of structure and quality to a specification. It is also meaningful that at this level the issues of dependencies and constraints are addressed in both the Federal Criteria and the CTCPEC.

2.2.1 Groupings

Each criteria effort provides a means to assemble the standard building blocks into a group that addresses a perceived threat or security requirement. These groupings provide the sets of requirements that must be implemented to counter a threat or provide support for a specific control objective. Table 2 lists the means to assemble groups of basic building blocks provided by the current efforts.

Table 2: Groupings

Source	**Term**	**Definition**
ITSEC	Functionality Class	Predefined groupings of security enforcing functions.
CTCPEC	Functional Criteria	A specific set of mechanisms to implement a security requirement. Four criteria are defined as confidentiality, integrity, availability, and accountability. Constraints are placed on functionality criteria.
Federal Criteria	Functional Package	Grouping of functional components assembled to ease specification and common understanding of an IT product's capabilities.
ISO	Security Sub-Profile	A distinct set of security-related functions in an International Standardized Profile (ISP). The security sub-profile contains the field of application, functionality and quality requirements.

As before, these terms are at different levels of discourse. However, the common thread through each of these groupings is the intent to focus the basic building blocks on the threat or control objective that is required to build a secure product. This binding of the basic mechanisms to the well understood threats and protection requirements provides a focus on the role and need for a variety of functions, mechanisms or services.

2.2.3 Market Directed Requirements

The next level of assembling requirements is based on market directed definitions. Looking at the approaches of the various criteria efforts, each attempts in some way to provide flexible definitions to meet a variety of market requirements for secure products. The focus on flexibility is to counter the criticism of the TCSEC for being too rigid with the definition of specific combinations of functionality and assurance. As can be seen in Table 3 below, each criteria effort has addressed this issue differently with respect to validation and review of perceived market requirements. This level of definition

and understanding of requirements are expected to be key to criteria harmonization efforts in the future. The agreement of requirements in a market or threat environment provides a foundation for the mutual acceptance of evaluation against these requirements.

Table 3: Market Directed Requirements

Source	**Term**	**Definition**
ITSEC	None Defined	The ITSEC stops at the Functionality Class and only provides examples at that level, there is no attempt to define specific market requirements.
CTCPEC	Profiles	A logical grouping based on constraints used to define systems which are currently under development and undergoing evaluation, have completed evaluation, or are considered useful configurations and have been evaluated in either the US or EC.
Federal Criteria	Protection Profiles	Statement of security criteria; shared by IT product producers, consumers, and evaluators; built from functional, development assurance, and evaluation assurance requirements; to meet identified security needs through the development of conforming IT products.
ISO	International Standardized Profiles	These types of standards are especially useful for procurement, product certification and services accreditation. They essentially aim at a common industry approach to the way base standards are used to enable non-specialist to understand what is being sought or proposed. They generally provide a reduced set of base standard options for users, procurers, designers etc. to use as a referencing system for claiming functional conformance.

The trend in specifying profiles is moving toward a market focus that provides a definition of the requirements for secure IT in the identified market. This provides a great deal of flexibility in that several sources of profiles can direct the standards and the market can then urge the vendors to meet the defined market requirements. Thus the medical, transportation, or banking industry could develop a profile that defines the requirements in their market and the vendors who want to sell into that market could have their products evaluated against the defined profiles. This also places greater emphasis on evaluation of requirements when the profile is registered or balloted as in the Federal Criteria or ISO model. This provides a validation of requirements before vendors build products that have perceived requirements. This establishment of well understood and agreed to industry standards should help encourage vendors to develop compliant products.

2.2.4 Common Structure

The definitions and structure of functionality requirements has evolved differently in the four criteria efforts. As has been pointed out earlier, while there may be differences in approach or specifics, all four efforts appear to build requirements in a similar structure. The following table attempts to summarize the four efforts in a consistent structure and provide rough equivalences among terms.

Table 4: Functionality Requirements

Effort Level	**ITSEC**	**CTCPEC**	**Federal Criteria**	**ISO**
Market Requirements		Profile	Protection Profile	International Standardization Profile (ISP)
Groupings	Functionality Classes			Security Sub-Profile
		Functional Criteria	Functional Package	
Basic Building Blocks		Divisions	Functional Components	Base Standards
	Security Enforcing Functions	(Services/ Mechanisms)	(Mechanisms /Functions)	

2.3 Assurance requirements

The second component of the criteria and standards efforts are the assurances that are built into the product or applied to the product. Each of the criteria efforts have their own slant on assurance starting with basic types of assurance and building into assurance profiles. Taking the same approach as the above analysis of functional requirements, the different descriptions of assurance in the criteria standards are reviewed.

2.3.1 Base Assurance Factors

The basic assurance factors for the criteria efforts focus on the assurances built into the product as well as the evaluation or evidence gathering that the product meets the specified functional requirements. The basic assurance factors for the three national efforts are defined in Table 5.

Table 5: Basic Assurance Factors

ITSEC	**CTCPEC**	**Federal Criteria**
Effectiveness	Architecture	Development Process
Suitability Analysis	Development Environment	TCB Property Identification
Binding Analysis	Development Evidence	TCB Design
Strength of Mechanism Analysis	Security Manuals	Element Identification
List of known Vulnerabilities	Security Testing	Modular Decomposition
	Trusted Distribution and Generation	Structuring Support
Correctness		Design Disciplines
Requirements		Interface Definition
Architectural Design		TCB Implementation Support
Detailed Design		TCB Testing & Analysis
Implementation		Functional Testing
Configuration Control		Penetration Analysis
Programming Languages and Compilers		Covert Channel Analysis
Developers Security		Operational Support
Operational Documentation		User Guidance
Operational Environment		Administrative Guidance
Delivery and Configuration		Flaw Remediation
Startup and Operation		Trusted Generation
		Development Environment
		Life Cycle Definition
		Configuration Management
		Trusted Distribution
		Development Evidence
		TCB Protection Properties

ITSEC	CTCPEC	Federal Criteria
		Product Design & Implementation
		Product Testing & Analysis
		Functional Testing
		Penetration Analysis
		Covert Channel Analysis
		Product Support

2.3.2 Assurance Groupings

The base assurance concepts are assembled into groups in the different standards efforts. These assurance groupings do not seem to map well across the various efforts, and appear to be used as a means to provide focus on the important assurance issues as perceived by each effort. The ISO area appears to be the most open of them all when addressing assurance. Table 6 contains the list of assurance terms used.

Table 6: Assurance Groupings

Source	Term	Definition
ITSEC	Assurance	Appropriate confidence in security enforcing functions.
	Correctness	A property of a Target of Evaluation such that it accurately reflects the stated security target for that system or product.
	Effectiveness	A property of a Target of Evaluation representing how well it provides security in the context of its actual or proposed operational use.
CTCPEC	Trust	The rating granted under the Assurance Criteria. The basic components of the Assurance Criteria are defined as Architecture, Development Environment, Development Evidence, Security Manuals, Security Testing, and Trusted Distribution and Generation.
Federal Criteria	Assurance	Encompasses all the factors that contribute to a sense of confidence that the product satisfies its security requirements.

Source	Term	Definition
	Development Assurance	Specifies requirements for all phases of an IT product's development from initial product design through implementation. Includes the development process, the development environment, operational support, and development evidence.
	Evaluation Assurance	Specifies requirements for the kind and intensity of evaluation to be performed on an IT product developed to meet a protection profile, in accordance with the expected threat, intended method of use, and assumed environment.
ISO	Conformance Testing	Involves testing both the capabilities and the behavior of an implementation, and checking what is observed against both the conformance requirements in the relevant standards and what the implementor states the implementation's capabilities are. (ISO 9646)

2.3.3 Assurance Profiles

Each criteria includes a set of assurance profiles that define various levels of assurance with respect to the base assurance factors or the assurance groupings. These assurance profiles provide the definition of assurance to address the requirements for broad sections of the market. Table 7 defines the structures of the assurance profiles in the three major national efforts. Again, ISO is not provided, since the definitions of assurance profiles is not clearly identified in this standards effort.

Table 7: Assurance Profiles

ITSEC	CTCPEC	Federal Criteria
Levels	Levels	Assurance Packages
E6	T7	T-6
E5	T6	T-5
E4	T5	T-4
E3	T4	T-3
E2	T3	T-2
E1	T2	T-1
	T1	
	T0 (Non-compliant)	

Note that in the case of the Federal Criteria the assurance levels are only examples of development assurance. Furthermore, unlike the other criteria standards that have fixed levels, the assurance packages in the Federal Criteria are variable and may be specified as part of the protection profile development.

2.3.4 Diversified Approaches

The description of assurance requirements is not as consistent as the functionality requirements. There appears to be a need to study further the assurance requirements and how they apply to IT products in general and how to describe these characteristics in a way that can be accepted in the global market. There are many similarities in the descriptions and the basic assurance factors. One interesting point is that the Federal Criteria allows for the specification of additional or unique assurance requirements in the Protection Profile. This may be an approach that would allow for national development of Assurance Profiles and the ability to add other specific assurance requirements in the Protection Profile.

2.4 Product definitions

The terminology used in the standards efforts and the definitions of the elements seems to be consistent with one another. The ISO work does not define the product or system being defined in any specific way. The other three efforts provide the definitions listed in Table 8.

Table 8: Product Definitions

Source	**Term**	**Definition**
ITSEC	Security Target	Defines the security enforcing functions to be provided by the Target of Evaluation (TOE) and the envisaged threats to those objectives. Details of the security mechanisms used to implement the security enforcing functions may be defined.
	Target of Evaluation (TOE)	The product or system to be evaluated.
CTCPEC	Products	Monolithic systems, multi-processor systems, databases, subsystems, network systems, and others.
Federal Criteria	Security Target	Product specific description, elaborating the more general requirements in a protection profile and including all evidence generated by the producers, of how a specific IT product meets the security requirements of a given protection profile.
	Product	Package of IT software and/or hardware designed to perform a specific function either stand alone or incorporated into an IT system.

The CTCPEC is the only one of the three that does not require the definition of the products approach to meeting the security requirements defined in the Profile.

3. SUMMARY

This paper looks at the structure and definition of the evolving IT security standards, and provides a baseline for the discussion and understanding of the various approaches used in their development. There is a concern that the development of standards and criteria disjoint form the methodology used to evaluate against those requirements may produce less than acceptable results. Close vigilance must be given to the evaluation process to ensure that the results are aligned with the goal of a market oriented approach.

Each of the evolving efforts discussed, provides beneficial additions to the results of previous efforts. It is not necessary for each of the national organizations to conform to a single approach or methodology. However, the goal of harmonization is that there be a common understanding of requirements, and that vendor products can be focused on market needs without the overhead of multiple national evaluations.

REFERENCES

[1] Joint Workplan for EC/US Cooperation on Security of Information Systems, Edition 1, Brussels, February 1992.

[2] Department of Defense (DoD) Trusted Computer System Evaluation Criteria (TCSEC), DoD 5200.28-STD, December 1985.

[3] Information Technology Security Evaluation Criteria (ITSEC), Version 1.2, June 1991.

[4] The Canadian Trusted Computer Product Evaluation Criteria (CTPEC), Version 3.0e, April 1992.

[5] Federal Criteria for Information Technology Security, Version 1.0, December 1992.

[6] Security Sub-Profiles, Functionality Classes and Security Targets, Draft Version 4.0, June 1992.