

From: 800-171comments@list.nist.gov on behalf of [REDACTED]
To: 800-171comments@list.nist.gov
Subject: [800-171 Comments] MSP Collective comments on 171r3 FPD
Date: Friday, January 26, 2024 10:52:20 PM
Attachments: [MSP Collective - 171r3 Comment Matrix.xlsx](#)

Greetings,

On behalf of the members of MSPs for the Protection of Critical Infrastructure, please find our comment matrix attached.

Sincerely,
Jacob Horne
Director, Policy & Standards
MSPs for the Protection of Critical Infrastructure

Comment #	Submitted By (Name/Org):*	Type (General / Editorial / Technical)	Source (publication, analysis, overlay)	Starting Page # *	Starting Line #*	Comment (include rationale)*	Suggested Change*
1	MSPs for the Protection of Critical Infrastructure	General (tailoring)	171r3 FPD	15	478	Base controls and control enhancements should not be combined in single requirements.	AC-20, AC-20(1), and AC-20(2) should be separate requirements.
2	MSPs for the Protection of Critical Infrastructure	General (tailoring)	171r3 FPD	32	1146	Control items b. - d. in IR-4 are categorized as NCO while the overall control is categorized as CUI.	All control items in IR-4 should be categorized as CUI.
3	MSPs for the Protection of Critical Infrastructure	General (tailoring)	171r3 FPD	32	1146	IR-4 and IR-8 are combined into a single requirement.	IR-4 and IR-8 should be separate requirements.
4	MSPs for the Protection of Critical Infrastructure	General (tailoring)	171r3 FPD	32	1146	Multiple control items in IR-8 are categorized as NCO while the overall control is categorized as CUI.	All control items in IR-8 should be categorized as CUI.
5	MSPs for the Protection of Critical Infrastructure	General (tailoring)	171r3 FPD	57	2075	Control items a. - i. appear to be omitted without a corresponding tailoring category while also being directly related to the confidentiality of CUI.	Controls items a. - i. should be included in 3.16.1.
6	MSPs for the Protection of Critical Infrastructure	General (tailoring)	171r3 FPD	60	2199	Control item c. is categorized as NCO while the overall control and other items are categorized as CUI.	Control item c. should be categorized as CUI.

* indicate required fields

